



Appl. No. 10/024,740  
Replacement Amendment  
Reply to Office action of 13 August 2003

*George*

Page 1 of 13

2879

**IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE**

Appl. No. : 10/024,740  
Applicant(s) : STEINHAUSER, Heidrun et al.  
Filed : 19 December 2001  
TC/A.U. : 2879  
Examiner : PATEL, Ashok  
Atty. Docket : NL-000734

**CERTIFICATE OF MAILING OR  
TRANSMISSION**

I certify that this correspondence is  
being:

☒ deposited with the U.S. Postal  
Service with sufficient postage as first-  
class mail in an envelope addressed to  
the Commissioner for Patents, P.O.  
Box 1450, Alexandria, VA 22313-1450.

☐ transmitted by facsimile to the  
U.S. Patent and Trademark Office at  
**(703) 872-9306**

On: 26 March 2004

*EMBram*

Title: DISPLAY DEVICE AND CATHODE RAY TUBE

**REPLACEMENT AMENDMENT**

Mail Stop –**Non-Fee Amendment**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the non-final Office action of 25 February 2004, please reconsider the above-identified application based on the remarks that follow. Please charge Deposit Account No. 14-1270 for any required extension of time or excess claim fees for filing this paper. **This paper is being filed within thirty days of the mailing of the Office action, and therefore is timely filed.** The final day of the thirty day time period is 26 March 2004.

**This paper includes** (each beginning on a separate sheet):

- 1. Amendments to the specification;**
- 2. Amendments to the claims;**
- 3. Amendments to the drawing figures;**
- 4. Remarks/Discussion of issues.**